

GREEN MOUNTAIN  
WINDOW & DOOR™  
COMPANY

**Milestone  
Order  
Guide**



# MILESTONE DOUBLE HUNG SELECTION SHEET

Shaded cells indicate the default choice if no other selection is made

<b>UNIT:</b>				
<b>QUANTITY:</b>				
<b>EXTERIOR:</b>	<input type="checkbox"/> Natural	<input type="checkbox"/> Primed	<input type="checkbox"/> Painted, Color: _____.	<input type="checkbox"/> Species Other Than Pine: _____.
<b>INTERIOR:</b>	<input type="checkbox"/> Natural	<input type="checkbox"/> Primed	<input type="checkbox"/> Species Other Than Pine: _____.	<input type="checkbox"/> Other _____.
<b>GLAZING:</b>	<input type="checkbox"/> Regular Insulated	<input type="checkbox"/> Low E – Argon	<input type="checkbox"/> Low E – Krypton (energy star rated)	<input type="checkbox"/> Single
<b>SPECIAL GLASS:</b>	<input type="checkbox"/> Wavy Restoration	<input type="checkbox"/> Tempered	<input type="checkbox"/> Obscure	<input type="checkbox"/> Other _____.
<b>LOCK:</b>	Standard: <input type="checkbox"/> Bronze <input type="checkbox"/> White	Colonial: <input type="checkbox"/> Brass <input type="checkbox"/> Nickel	<input type="checkbox"/> Oil Rubbed Bronze	<input type="checkbox"/> Other _____.
<b>DIVIDED LIGHT PATTERN:</b>	<input type="checkbox"/> 2/2 (vertical bars)	<input type="checkbox"/> 4/4 (2w2h per sash)	<input type="checkbox"/> 6/6 (3w2h per sash)	<input type="checkbox"/> 8/8 (4w2h per sash)
	<input type="checkbox"/> 9/9 (3w3h per sash)	<input type="checkbox"/> 12/12 (4w3h per sash)	<input type="checkbox"/> Other _____.	
<b>DIVIDED LIGHT MUNTIN:</b>	<input type="checkbox"/> 5/8" SDL	<input type="checkbox"/> 7/8" SDL	<input type="checkbox"/> Full Surround Grille	<input type="checkbox"/> Other _____.
<b>SPACER FOR DIVIDED LIGHT:</b>	<input type="checkbox"/> No	Yes <input type="checkbox"/> Gray <input type="checkbox"/> Black		
<b>JAMB DEPTH:</b>	<input type="checkbox"/> 4 9/16"	<input type="checkbox"/> 6 9/16"	<input type="checkbox"/> Other _____.	
<b>EXTERIOR CASING:</b>	<input type="checkbox"/> None, 4" sill horns	<input type="checkbox"/> None, 6" sill horns	<input type="checkbox"/> Brickmold	<input type="checkbox"/> 5/4 x 4 Flat
	<input type="checkbox"/> 5/4 x 5 Flat	<input type="checkbox"/> 5/4 x 6 Flat	<input type="checkbox"/> No Finger Joints	<input type="checkbox"/> Other _____.
<b>SPECIAL CASING DETAIL:</b>	<input type="checkbox"/> Flat Pediment Head Applied	<input type="checkbox"/> Angled Pediment Head Applied	<input type="checkbox"/> Other _____.	
<b>SILL:</b>	<input type="checkbox"/> Standard	<input type="checkbox"/> Thick "Historic"	<input type="checkbox"/> No Finger Joints	<input type="checkbox"/> Other _____.
<b>SCREEN:</b>	<input type="checkbox"/> White Frame, Fiberglass Mesh	<input type="checkbox"/> _____ Frame, Fiberglass Mesh	<input type="checkbox"/> Aluminum Mesh	<input type="checkbox"/> Wood Frame, _____ Mesh



GLASS SIZE	SASH FRAME ROUGH	SIZE DPG.	DHTR169	DHTR209	DHTR249	DHTR269	DHTR289	DHTR309	DHTR329
9 7/8" 1 1/4" 1 1/4" 1 1/2"	16" 9 8" 10 5/16"	20" 2 5/16" 2 5/16"							
12 1/2" 1 1/2" 1 3/8"	16" 9 8" 10 5/16"	20" 2 5/16" 2 5/16"	MDH1612	MDH2012	MDH2412	MDH2612	MDH2812	MDH3012	MDH3212
14 1/2" 1 3/8" 1 3/8"	16" 9 8" 10 5/16"	20" 2 5/16" 2 5/16"	MDH1614	MDH2014	MDH2414	MDH2614	MDH2814	MDH3014	MDH3214
16 1/2" 1 3/8" 1 3/8"	16" 9 8" 10 5/16"	20" 2 5/16" 2 5/16"	MDH1616	MDH2016	MDH2416	MDH2616	MDH2816	MDH3016	MDH3216
18 1/2" 1 3/8" 1 3/8"	16" 9 8" 10 5/16"	20" 2 5/16" 2 5/16"	MDH1618	MDH2018	MDH2418	MDH2618	MDH2818	MDH3018	MDH3218
20 1/2" 1 3/8" 1 3/8"	16" 9 8" 10 5/16"	20" 2 5/16" 2 5/16"	MDH1620	MDH2020	MDH2420	MDH2620	MDH2820	MDH3020	MDH3220
22 1/2" 1 3/8" 1 3/8"	16" 9 8" 10 5/16"	20" 2 5/16" 2 5/16"	MDH1622	MDH2022	MDH2422	MDH2622	MDH2822	MDH3022	MDH3222
24 1/2" 1 3/8" 1 3/8"	16" 9 8" 10 5/16"	20" 2 5/16" 2 5/16"	MDH1624	MDH2024	MDH2424	MDH2624	MDH2824	MDH3024	MDH3224
26 1/2" 1 3/8" 1 3/8"	16" 9 8" 10 5/16"	20" 2 5/16" 2 5/16"	MDH1626	MDH2026	MDH2426	MDH2626	MDH2826	MDH3026 E	MDH3226 E
28 1/2" 1 3/8" 1 3/8"	16" 9 8" 10 5/16"	20" 2 5/16" 2 5/16"	MDH1628	MDH2028	MDH2428	MDH2628	MDH2828 E	MDH3028 E	MDH3228 E
30 1/2" 1 3/8" 1 3/8"	16" 9 8" 10 5/16"	20" 2 5/16" 2 5/16"	MDH1630	MDH2030	MDH2430	MDH2630 E	MDH2830 E	MDH3030 E	MDH3230 E
32 1/2" 1 3/8" 1 3/8"	16" 9 8" 10 5/16"	20" 2 5/16" 2 5/16"	MDH1632	MDH2032	MDH2432 E	MDH2632 E	MDH2832 E	MDH3032 E	MDH3232 E
34 1/2" 1 3/8" 1 3/8"	16" 9 8" 10 5/16"	20" 2 5/16" 2 5/16"	MDH1634	MDH2034	MDH2434 E	MDH2634 E	MDH2834 E	MDH3034 E	MDH3234 E
36 1/2" 1 3/8" 1 3/8"	16" 9 8" 10 5/16"	20" 2 5/16" 2 5/16"	MDH1636	MDH2036	MDH2436 E	MDH2636 E	MDH2836 E	MDH3036 E	MDH3236 E

GLASS SIZE	SASH FRAME ROUGH	SIZE DPG.	DH3625 PICT	DH4825 PICT	DH5625 PICT
36" 3 3/4" 3 3/4" 3 3/8"	36" 10 5/16" 10 5/16"	48" 4 4" 4 5/16" 4 5/16"			
28 1/2" 1 3/8" 1 3/8"	36" 10 5/16" 10 5/16"	48" 4 4" 4 5/16" 4 5/16"	DH3629 PICT	DH4829 PICT	DH5629 PICT
30 1/2" 1 3/8" 1 3/8"	36" 10 5/16" 10 5/16"	48" 4 4" 4 5/16" 4 5/16"	DH3633 PICT	DH4833 PICT	DH5633 PICT
32 1/2" 1 3/8" 1 3/8"	36" 10 5/16" 10 5/16"	48" 4 4" 4 5/16" 4 5/16"	DH3637 PICT	DH4837 PICT	DH5637 PICT
34 1/2" 1 3/8" 1 3/8"	36" 10 5/16" 10 5/16"	48" 4 4" 4 5/16" 4 5/16"	DH3641 PICT	DH4841 PICT	DH5641 PICT
36 1/2" 1 3/8" 1 3/8"	36" 10 5/16" 10 5/16"	48" 4 4" 4 5/16" 4 5/16"	DH3645 PICT	DH4845 PICT	DH5645 PICT
38 1/2" 1 3/8" 1 3/8"	36" 10 5/16" 10 5/16"	48" 4 4" 4 5/16" 4 5/16"	DH3649 PICT	DH4849 PICT	DH5649 PICT
40 1/2" 1 3/8" 1 3/8"	36" 10 5/16" 10 5/16"	48" 4 4" 4 5/16" 4 5/16"	DH3653 PICT	DH4853 PICT	DH5653 PICT
42 1/2" 1 3/8" 1 3/8"	36" 10 5/16" 10 5/16"	48" 4 4" 4 5/16" 4 5/16"	DH3657 PICT	DH4857 PICT	DH5657 PICT
44 1/2" 1 3/8" 1 3/8"	36" 10 5/16" 10 5/16"	48" 4 4" 4 5/16" 4 5/16"	DH3661 PICT	DH4861 PICT	DH5661 PICT

**Rough Openings of Muller Units:**

- Double Wide Unit: (Single RO x 2) -1"
- Triple Wide Unit: (Single RO x 3) -2"
- Four Wide Unit: (Single RO x 4) -3"

Standard Divided Light Patterns Shown, others available upon request

\* = Cottage Units are available in these frame sizes.  
E = Meets National Egress Codes

# MILESTONE CASEMENT SELECTION SHEET

Shaded cells indicate the default choice if no other selection is made

<b>UNIT:</b>	<input type="checkbox"/> Left Hinge <input type="checkbox"/> Right Hinge <input type="checkbox"/> Stationary (choose one)			
<b>QUANTITY:</b>				
<b>EXTERIOR:</b>	<input type="checkbox"/> Natural	<input type="checkbox"/> Primed	<input type="checkbox"/> Painted, Color: _____.	<input type="checkbox"/> Other: _____.
<b>INTERIOR:</b>	<input type="checkbox"/> Natural	<input type="checkbox"/> Primed	<input type="checkbox"/> Other _____.	
<b>GLAZING:</b>	<input type="checkbox"/> Regular Insulated	<input type="checkbox"/> Low E – Argon	<input type="checkbox"/> Low E – Krypton	<input type="checkbox"/> Other _____.
<b>SPECIAL GLASS:</b>	<input type="checkbox"/> Wavy Restoration	<input type="checkbox"/> Tempered	<input type="checkbox"/> Obscure	<input type="checkbox"/> Other _____.
<b>LOCK:</b>	<input type="checkbox"/> Oil Rubbed Bronze	<input type="checkbox"/> Other _____.		
<b>DIVIDED LIGHT PATTERN:</b>	<input type="checkbox"/> 2w2h	<input type="checkbox"/> 2w3h	<input type="checkbox"/> 2w4h	<input type="checkbox"/> 2w5h
	<input type="checkbox"/> 2w6h	<input type="checkbox"/> 3w2h	<input type="checkbox"/> 3w3h	<input type="checkbox"/> 3w4h
	<input type="checkbox"/> 3w5h	<input type="checkbox"/> 3w6h	<input type="checkbox"/> Other _____.	
<b>DIVIDED LIGHT METHOD:</b>	<input type="checkbox"/> 5/8" SDL	<input type="checkbox"/> 7/8" SDL	<input type="checkbox"/> Full Surround Grille	<input type="checkbox"/> Other _____.
<b>SPACER FOR DIVIDED LIGHT:</b>	<input type="checkbox"/> No	Yes <input type="checkbox"/> Gray <input type="checkbox"/> Black		
<b>JAMB DEPTH:</b>	<input type="checkbox"/> 4 9/16"	<input type="checkbox"/> 6 9/16"	<input type="checkbox"/> Other _____.	
<b>EXTERIOR CASING:</b>	<input type="checkbox"/> None, Clad Unit Has Nailing Fin	<input type="checkbox"/> None, 4" sill horns	<input type="checkbox"/> Brickmold	<input type="checkbox"/> 5/4 x 4 Flat
	<input type="checkbox"/> 5/4 x 5 Flat	<input type="checkbox"/> 5/4 x 6 Flat	<input type="checkbox"/> No Finger Joints	<input type="checkbox"/> Other _____.
<b>SPECIAL CASING DETAIL:</b>	<input type="checkbox"/> Flat Pediment Head Applied	<input type="checkbox"/> Angled Pediment Head Applied	<input type="checkbox"/> Other _____.	
<b>SILL:</b>	<input type="checkbox"/> Standard	<input type="checkbox"/> Thick "Historic"	<input type="checkbox"/> No Finger Joints	<input type="checkbox"/> Other _____.
<b>SCREEN:</b>	<input type="checkbox"/> Wood Swing, Fiberglass Mesh	<input type="checkbox"/> Wood Swing, Aluminum Mesh	<input type="checkbox"/> Other _____.	



R.O. Frame Glass Size	1' 5 1/4" 1' 4" 10 3/4"	1' 9" 1' 8" 1' 2 3/4"	2' 1" 1' 6 3/4"	2' 5" 2' 4" 1' 10 3/4"	2' 9" 2' 8" 2' 2 3/4"	3' 1" 3' 2' 6 3/4"	3' 5" 3' 4" 2' 10 3/4"	4' 1" 4' 3' 6 3/4"	5' 1" 5' 4' 6 3/4"	6' 1" 6' 5' 6 3/4"
	MCMTR1616	MCMTR2016	MCMTR2416	MCMTR2816	MCMTR3216	MCMTR3616				
	MCM1624	MCM2024	MCM2424	MCM2824	MCM3224	MCM3624	MCM4024 PICT	MCM4824 PICT	MCM6024 PICT	MCM7224 PICT
	MCM1632	MCM2032	MCM2432	MCM2832	MCM3232	MCM3632	MCM4032 PICT	MCM4832 PICT	MCM6032 PICT	MCM7232 PICT
	MCM1636	MCM2036	MCM2436	MCM2836	MCM3236	MCM3636 E	MCM4036 PICT	MCM4836 PICT	MCM6036 PICT	MCM7236 PICT
	MCM1640	MCM2040	MCM2440	MCM2840	MCM3240 E	MCM3640 E	MCM4040 PICT	MCM4840 PICT	MCM6040 PICT	MCM7240 PICT
	MCM1648	MCM2048	MCM2448	MCM2848 E	MCM3248 E	MCM3648 E	MCM4048 PICT	MCM4848 PICT	MCM6048 PICT	MCM7248 PICT
	MCM1656	MCM2056	MCM2456 EH	MCM2856 E	MCM3256 E	MCM3656 E	MCM4056 PICT	MCM4856 PICT	MCM6056 PICT	MCM7256 PICT
	MCM1660	MCM2060	MCM2460 E	MCM2860 E	MCM3260 E	MCM3660 E	MCM4060 PICT	MCM4860 PICT	MCM6060 PICT	MCM7260 PICT
	MCM1664	MCM2064 EH	MCM2464 E	MCM2864 E	MCM3264 E	MCM3664 E	MCM4064 PICT	MCM4864 PICT	MCM6064 PICT	MCM7264 PICT
	MCM1672	MCM2072 EH	MCM2472 E	MCM2872 E	MCM3272 E	MCM3672 E	MCM4072 PICT	MCM4872 PICT	MCM6072 PICT	MCM7272 PICT

















































E = Meets national egress codes.  
 EH = Meets egress codes only with egress hinges.  
 Standard divided lights shown, others available upon request.  
 All units depicting hinges can be either left hinge, right hinge, or stationary center.  
 Ex: Left hinge has hinge on left side of frame from the exterior view.  
 Note: All frame heights listed do not include 3/4" sub sill.

# MILESTONE AWNING SELECTION SHEET

Shaded cells indicate the default choice if no other selection is made

<b>UNIT:</b>	<input type="checkbox"/> Operating <input type="checkbox"/> Stationary (choose one)			
<b>QUANTITY:</b>				
<b>EXTERIOR:</b>	<input type="checkbox"/> Natural	<input type="checkbox"/> Primed	<input type="checkbox"/> Painted, Color _____.	<input type="checkbox"/> Other _____.
<b>INTERIOR:</b>	<input type="checkbox"/> Natural	<input type="checkbox"/> Primed	<input type="checkbox"/> Other _____.	
<b>GLAZING:</b>	<input type="checkbox"/> Regular Insulated	<input type="checkbox"/> Low E – Argon	<input type="checkbox"/> Low E – Argon	<input type="checkbox"/> Other _____.
<b>SPECIAL GLASS:</b>	<input type="checkbox"/> Wavy Restoration	<input type="checkbox"/> Tempered	<input type="checkbox"/> Obscure	<input type="checkbox"/> Other _____.
<b>LOCK:</b>	<input type="checkbox"/> Oil Rubbed Bronze	<input type="checkbox"/> Other _____.		
<b>DIVIDED LIGHT PATTERN:</b>	<input type="checkbox"/> 2w2h	<input type="checkbox"/> 2w3h	<input type="checkbox"/> 3w2h	<input type="checkbox"/> 3w3h
	<input type="checkbox"/> 4w2h	<input type="checkbox"/> 4w3h	<input type="checkbox"/> Other _____.	
<b>DIVIDED LIGHT METHOD:</b>	<input type="checkbox"/> 5/8" SDL	<input type="checkbox"/> 7/8" SDL	<input type="checkbox"/> Full Surround Grille	<input type="checkbox"/> Other _____.
<b>SPACER FOR DIVIDED LIGHT:</b>	<input type="checkbox"/> No	Yes <input type="checkbox"/> Gray <input type="checkbox"/> Black		
<b>JAMB DEPTH:</b>	<input type="checkbox"/> 4 9/16"	<input type="checkbox"/> 6 9/16"	<input type="checkbox"/> Other _____.	
<b>EXTERIOR CASING:</b>	<input type="checkbox"/> None, Clad Unit Has Nailing Fin	<input type="checkbox"/> None, 4" sill horns	<input type="checkbox"/> Brickmold	<input type="checkbox"/> 5/4 x 4 Flat
	<input type="checkbox"/> 5/4 x 5 Flat	<input type="checkbox"/> 5/4 x 6 Flat	<input type="checkbox"/> No Finger Joints	<input type="checkbox"/> Other _____.
<b>SPECIAL CASING DETAIL:</b>	<input type="checkbox"/> Flat Pediment Head Applied	<input type="checkbox"/> Angled Pediment Head Applied	<input type="checkbox"/> Other _____.	
<b>SILL:</b>	<input type="checkbox"/> Standard	<input type="checkbox"/> Thick "Historic"	<input type="checkbox"/> No Finger Joints	<input type="checkbox"/> Other _____.
<b>SCREEN:</b>	<input type="checkbox"/> Wood Swing, Fiberglass Mesh	<input type="checkbox"/> Wood Swing, Aluminum Mesh	<input type="checkbox"/> Other _____.	



								
	MAWTR1616	MAWTR2016	MAWTR2416	MAWTR2816	MAWTR3216	MAWTR3616	MAWTR4016	MAWTR4816
R.O. Frame Glass Size	1' 5 1/4" 1' 4" 10 3/4"	1' 9" 1' 8" 1' 2 3/4"	2' 1" 2' 8" 1' 6 3/4"	2' 5" 2' 4" 1' 10 3/4"	2' 9" 2' 8" 2' 2 3/4"	3' 1" 3' 2' 6 3/4"	3' 5" 3' 4" 2' 10 3/4"	4' 1" 4' 3' 6 3/4"
								
	MAW1620	MAW2020	MAW2420	MAW2820	MAW3220	MAW3620	MAW4020	MAW4820
								
	MAW1624	MAW2024	MAW2424	MAW2824	MAW3224	MAW3624	MAW4024	MAW4824
								
	MAW1628	MAW2028	MAW2428	MAW2828	MAW3228	MAW3628	MAW4028	MAW4828
								
	MAW1632	MAW2032	MAW2432	MAW2832	MAW3232	MAW3632	MAW4032	MAW4832
								
	MAW1636	MAW2036	MAW2436	MAW2836	MAW3236	MAW3636	MAW4036	MAW4836
	3' 1 1/4" 2' 6 3/4"							

All units depicting hinges can be operating or stationary units.  
 Note: All frame heights listed do not include 3/4" sub sill.


























# SWING OR FRENCH SLIDING DOOR SELECTION SHEET

Shaded cells indicate the default choice if no other selection is made


<b>UNIT:</b>	(Specify Operation)			
<b>QUANTITY:</b>				
<b>EXTERIOR:</b>	<input type="checkbox"/> Natural	<input type="checkbox"/> Primed	<input type="checkbox"/> Painted, Color: _____.	<input type="checkbox"/> Other: _____.
<b>INTERIOR:</b>	<input type="checkbox"/> Natural	<input type="checkbox"/> Primed	<input type="checkbox"/> Other _____.	
<b>GLAZING:</b>	<input type="checkbox"/> Regular Insulated	<input type="checkbox"/> Low E – Argon	<input type="checkbox"/> Low E – Krypton	<input type="checkbox"/> Other _____.
<b>SWING DOOR HARDWARE:</b>	<input type="checkbox"/> No Bore <input type="checkbox"/> Single Bore <input type="checkbox"/> Double Bore	<input type="checkbox"/> Brass Multipoint	Special Finish <input type="checkbox"/> Oil Rb Brnz <input type="checkbox"/> Nickel <input type="checkbox"/> Antique Brass	<input type="checkbox"/> Polished Chrome
<b>SLIDING DOOR HARDWARE:</b>	<input type="checkbox"/> Brass Handle	Special Finish: <input type="checkbox"/> Oil Rb Brnz <input type="checkbox"/> Nickel <input type="checkbox"/> Antique Brass		<input type="checkbox"/> Polished Chrome
<b>DIVIDED LIGHT PATTERN:</b>	<input type="checkbox"/> 2w2h	<input type="checkbox"/> 2w3h	<input type="checkbox"/> 2w4h	<input type="checkbox"/> 2w5h
	<input type="checkbox"/> 3w2h	<input type="checkbox"/> 3w3h	<input type="checkbox"/> 3w4h	<input type="checkbox"/> 3w5h
	<input type="checkbox"/> 2w6h	<input type="checkbox"/> 3w6h	<input type="checkbox"/> Other _____.	
<b>DIVIDED LIGHT METHOD:</b>	<input type="checkbox"/> Full Surround Grille	<input type="checkbox"/> Airspace Grille	<input type="checkbox"/> 5/8" SDL	<input type="checkbox"/> 7/8" SDL
<b>SPACER FOR DIVIDED LIGHT:</b>	No	Yes <input type="checkbox"/> Gray <input type="checkbox"/> Black		
<b>JAMB DEPTH:</b>	<input type="checkbox"/> 4 9/16"	<input type="checkbox"/> 6 9/16"	<input type="checkbox"/> 7 9/16"	<input type="checkbox"/> Other _____.
<b>EXTERIOR CASING:</b>	<input type="checkbox"/> None	<input type="checkbox"/> Brickmold	<input type="checkbox"/> 5/4 x 4 Flat	<input type="checkbox"/> 5/4 x 5 Flat
	<input type="checkbox"/> 5/4 x 6 Flat	<input type="checkbox"/> No Finger Joints	<input type="checkbox"/> Other _____.	
<b>SPECIAL CASING DETAIL:</b>	<input type="checkbox"/> Flat Pediment Head Applied	<input type="checkbox"/> Angled Pediment Head Applied	<input type="checkbox"/> Other _____.	
<b>SILL: (choices are for swing door only)</b>	<input type="checkbox"/> Bronze Anodized Aluminum	<input type="checkbox"/> Mahogany	<input type="checkbox"/> Other _____.	
<b>SCREEN:</b>	<input type="checkbox"/> White Sliding Aluminum with Fiberglass Mesh	<input type="checkbox"/> _____ Sliding Aluminum with Fiberglass Mesh	<input type="checkbox"/> Wood Swinging with Fiberglass Mesh	<input type="checkbox"/> Wood Swinging with Aluminum Mesh



# 6-8 Swing Doors













								
	GMDTR1V 1214	GMDTR1V 2614	GMDTR1V 2814	GMDTR1V 3014	GMDTR1V 5014	GMDTR2V 6014	GMDTR1V 5014	GMDTR2V 6014
Rough Opening Frame	1' 4 3/4" x 1' 4 3/8"	2' 8 1/2" x 2' 7 1/2"	2' 10 1/2" x 2' 9 1/2"	3' 2 1/2" x 3' 1 1/2"	5' 3 1/4" x 5' 2 1/4"	6' 3 1/4" x 6' 2 1/4"	5' 3 1/4" x 5' 2 1/4"	6' 3 1/4" x 6' 2 1/4"
								
	GMDFLS 1268 D	GMDFLS 2668 D, XL, or XR	GMDFLS 2868 D, XL or XR	GMDFLS 3068 D, XL or XR	GMDFLS 5068 DD, DXL or XDR	GMDFLS 6068 DD, DXL or XDR	GMDFLS 5068 DD, XXL or XXR	GMDFLS 6068 DD, XXL or XXR
								
	GMDIPSL 1268 D	GMDIPSS 2868 D, XL or XR	GMDIPSS 3068 D, XL or XR					
								
	GMDPSSL 1268 D	GMDPSS 2668 D, XL, or XR	GMDPSS 2868 D, XL or XR	GMDPSS 3068 D, XL or XR				
								
	GMDPSS 2868 D, XL or XR	GMDPSS 3068 D, XL or XR						

Interior



Exterior

# 6-8 French Sliding Doors

						
	GMDSLTR1V 2614	GMDSLTR1V 3014	GMDSLTR1V 5014	GMDSLTR1V 5014	GMDSLTR1V 6014	GMDSLTR1V 6014
Rough Opening Frame	2' 7 1/4" x 2' 6 1/4"	3' 1 1/4" x 3' 1/4"	4' 11 3/4" x 4' 10 3/4"	4' 11 3/4" x 4' 10 3/4"	5' 11 5/8" x 5' 10 5/8"	5' 11 5/8" x 5' 10 5/8"
						
	GMDSL 2668 D	GMDSL 3068 D	GMDSL 5068 DX	GMDSL 5068 XO	GMDSL 6068 DX	GMDSL 6068 XO

All elevations shown are from the exterior view.

Note: Standard divided light patterns shown, others available upon request.

## HARDWARE OPTIONS

### DOUBLE HUNG WINDOW

Standard Lock on  
"Classic" & "Milestone"




Colonial Option for  
"Classic" & "Milestone"




### CASEMENT & AWNING WINDOW

Standard Lock & Operator on  
"Classic" Series Only




Push-out Lever on  
"Milestone" Series Only




### SWINGING PATIO DOOR

Standard Lever with Multi-point Lock



### SLIDING PATIO DOOR

Standard Handle and Lock




## SILL OPTIONS

### WINDOWS

Standard Sill on  
"Classic" & "Milestone"



Historic Sill Option for  
"Classic" & "Milestone"



### SWING DOORS

Standard Bronze  
Anodized Aluminum




Mahogany Sill Option  
for In-swing Doors



## HEAD CASING OPTIONS



**FLAT PEDIMENT**



**ANGLED PEDIMENT**

## DIVIDED LITE OPTIONS

I. G., No Lites  
Wood Bead



I.G., No Lites  
Vinyl Bead



No Lites  
Single Glass



5/8" SDL




7/8" SDL



1 1/4" SDL



1 1/4" SDL  
with Spacer Bar



I.G., 7/8" SDL  
Vinyl Bead



I.G., 7/8" SDL  
with Spacer Bar  
Vinyl Bead



5/8" TDL  
Single Glass  
Putty Glaze











5/8" TDL  
Single Glass  
Wood Bead






# Cross Sections for Milestone Series Window & Green Mountain Door (Wood Exterior)

 <p style="text-align: center;">Vertical Cross</p> <p style="text-align: center;">Top Janb View</p> <p style="text-align: center;">Botton Janb View</p> <p style="text-align: center;">Mullion Detail</p>	 <p style="text-align: center;">Vertical Cross</p> <p style="text-align: center;">Cross Section</p>
<b>Milestone Double Hung</b>	<b>Double Hung Picture with Historic Sill Nose</b>
 <p style="text-align: center;">Vertical Cross</p> <p style="text-align: center;">Horizontal Cross</p> <p style="text-align: center;">Mullion</p>	 <p style="text-align: center;">Vertical Cross</p> <p style="text-align: center;">Horizontal Cross</p> <p style="text-align: center;">Mullion</p>
<b>Milestone Casement</b>	<b>Milestone Cmt./Awn. Picture with Historic Nose</b>
 <p style="text-align: center;">Vertical Cross</p> <p style="text-align: center;">Horizontal Cross</p> <p style="text-align: center;">Mullion</p>	 <p style="text-align: center;">Vertical Cross</p> <p style="text-align: center;">Horizontal Cross</p>
<b>Milestone Awning</b>	<b>Swing Door</b>



*Tradition  
&  
Technology*

Founded in 1993, the Green Mountain Window & Door™ Company integrates the latest technology with good old-fashioned Yankee craftsmanship. At our plant in Rutland, Vermont we tailor our product to your needs by controlling the entire manufacturing process. We manufacture our own high performance insulating glass. We apply primer and paint using the Cabot Factory Finish System in our paint department. And we hand assemble and sand each window in our production department. Additionally, we use SFI-certified pine and FSC-certified mahogany to help assure the longevity of our natural resources.



GREEN MOUNTAIN  
WINDOW & DOOR™  
COMPANY

92 Park Street  
Rutland, Vermont 05701  
Phone: 802.747.6915  
Fax: 802.747.7864  
[www.greenmountainwindow.com](http://www.greenmountainwindow.com)